



Tête à Tête

Wine serving cabinet

GENERAL FEATURES

Gross weight packaged Full glass door (kg)	30
Net weight Full glass door (kg)*	27
Dimensions H x W x D (mm)	850 x 300 x 465
Dimensions in pack H x W x D (mm)	900 x 350 x 550
Colors	Nero

TECHNICAL FEATURES

REGULATION

- Electronic regulation from 6 to 12°C at the bottom and from 16°C to 22°C at the top (temperature gradient 10°C)
- Outside settings panel, integrated in the door
- Electronic settings
- Electronic display of the actual temperature inside the cabinet

COLD – INSULATION TECHNOLOGIES

- | | |
|----------------------------|--|
| Cold production: | <ul style="list-style-type: none"> • Static cooling • Compressor |
| Cords: | <ul style="list-style-type: none"> • CE/US/UK/JA/AU/CN |
| Inner material: | <ul style="list-style-type: none"> • Aluminium |
| Exterior coating material: | <ul style="list-style-type: none"> • HDF (High Density Fiber) |
| Insulation type: | <ul style="list-style-type: none"> • PU foam |
| Door glass material: | <ul style="list-style-type: none"> • Low-E |

EQUIPMENTS

EQUIPMENTS

- Glass plate on the top
- Full glass door with anti-U.V. protection
- Tactile keyboard
- Front adjustable feet
- Inner lighting
- 2 independant oxygen extraction devices
- 10 Main du Sommelier supports
- Condensation collection tray
- Capacity: 12 bottles

ENERGY EFFICIENCY AND CONSUMPTION

Wiring	230V-50Hz (R600a)	115V-60Hz (R134a)
Doors type	Full Glass	Full Glass
Energy efficiency rating	B	F
Annual energy consumption Aec (kWh/year)**	183	347
Useful volume (L)	50	50
Acoustic emissions (dB(A))	36	36



BVCert. 6010761

* Empty wine cabinet weight without packaging
 ** Calculation based on the result obtained over 24 hrs in standard conditions (25°C / 77°F)